

Margaa Dasho (*Pennisetum pedicellatum*) nyaata beledootaf, Kunuunsu Lafa Dheedichaa fi ittisa Biyyoo fi bishaniif Lafa qonaa xiqqoo irraati Omishuu

Kaayyoo:

- Margaa siritti nyaatamu, gabbataa fi daddafee kan guddatu akkassumaas amala bayyinaa baalan kan beekamu beeksiisu
- Lafa dheedicha kunuunsu, hirinnaa omishtummaa fi bu'aa lafa dheedicha guddisu fi
- Ittisa biyyoo fi bishaani jajjabeessu



Ibsaa haala Margiicha:

- Margii Dasho margaa biyyaa keenyati argamuu tae maatii "Poaceae" jedhamun ni beekama [1, 6]
- Margaa wagoota lama ol (bara dheera turu) akkassumaas hundee yabbu kan qabuuf biyyoo sirriiti kan hammatuudha [5]
- Omishaa guddaa hektaaran kuntaala 300-1,090 kenuun ni beekama [8]
- Lafa irra hanga santi meetra 90-120 oldheeratee ni guddataa [4,5]
- Baka kamittu olka'insaa lafa meetra 1500-2800 irrati ni biqila garu meetra 1700 fi qaljina biyyoo jiddu galeessa hanga gadaanaa irratiis ni tola [5]

Faayidaisaa:

- Dashoon daddafee ijaa guddatuuf nyaataa horii wagga gutuuti [5]
- Margii dasho yoo tooran dhaabbatee lolaa ni ittisa [5,6]
- Lafa borqatees ni bayyanachiisa [1,5]
- Lafa dheedicha ni fooyyeessa [2]
- Akka Saayleeji (awwaalamee) nyaataa yeroo bonatiif ni ta'a

Shaakala Bulchiinsa:-

Lafa qopheessu:

- Margii dasho lafa sirriti qopha'ee ni barbaada

Biqiltuu qopheessu:

- Buqqaan margaa hundee irra adda ba'ee akk biqiltuuti ni gargaara
- Hundee jabaa ta'e buqqisuudhan bakka xixiqooti qoduudhan biqiltuuf ta'a
- Margaa gaamara ijoo 3 fi isaa ol qabu kutani akka biqiltuuti gargaaramu

Margaa dhaabu:

- Gidaada irrati (on soil bund) iddo lafti qophae booda fageenya santi meetra 10 walirra fagaate akka dhaabbatu ni gorfama
- Lafa dheedicha irrati santimeetra 50 walirra fagaate akka dhaabbatu ni gorfama
- Yeroo dhaabamu baala isaa irra gagabaabsuun akka dafe qabatu ni gargaara
- Boolla saaquudhan biqiltuu/buqa'a keessa kaahudhan cinaa isaa barruudhan gad jajjabeessu

Xa'oo dabaluu:

- Kompoosta ykn dikee kg 4500 lafa hektaara tokkoof yeroo dhaabbamuuf fi kg 1000 immo guddinaaf ni barbaachisa [2]
- Xa'oone kg 100 lafa heektaara tokkoof yeroo dhaabi garu kg 25 immo yeroo guddinatiffi tilmammameera [2]
- Waggoota 2-3 booda barbaachisnii xa'oo hirrachaa adeema [2]

Margaa Dasho Aramu:

- Aramu fi kan du'e bakkabusuun ittifufinsaan ni barbaachisaa[5]

Margaa Dasho haamu:

- Haammanii nyaachisuun ni jajjabeeffama [1]
- Dashoon olka'insaa santi meetra 8 irratu haamamu qaba
- Omishni guddaan kan argamu iddo dhaabbatee ji'a 4ti yoo haammamedha [7]

Bua omishaa Dasho:

- Dashoon carraa hojji xixqaa ni bana (gurguura nyaata horii fi biqiiltu irra) [3,4]
- Feedhiin nyaata horii fi kunuunsa lafa dadabalaa dhufeera

Rakkoowwan babalinnaa Dasho dhowwaan:

- Hanqinaa biqiltuu dhaabbiif ta'u
- Humnaa cimaa dhaabbi fi kunuunsa Dashof barbaachiisuu isaa [2] fi
- Dheedinsaa walabaa (gad-dhiisi)

Kitaablee Wabii:

- [1] Smith, G. (2010). Ethiopia: local solutions to a global problem. Retrieved from <http://www.new-ag.info/en/focus/focusItem.php?a=1784>
- [2] Danano, D. (2007). Improved grazing land management-Ethiopia. In H. Liniger, & W. Critchley (Eds.), Where the land is greener (pp. 313-316). Bern, Switzerland: WOCAT.
- [3] IPMS Ethiopia. 2010. Improved productivity & market success of Ethiopian farmers. Retrieved from http://www.ipms-ethiopia.org/content/files/Documents/workshops-Meetings/Agriculture_Development_Process/Report%20on%20IPMS-CIAT%20Agriculture%20Development%20Process.pdf (pp. 1-27).
- [4] Shiferaw, A., Puskur, R., Tegegne, A., & Hoekstra, D. (2011). Innovation in forage development: Empirical evidence from Alaba Special District, Southern Ethiopia. *Development in Practice*, 21(8), (pp. 1138-1152).
- [5] SLM Ethiopia. SLM Knowledge: Technologies [Desho grass soil bund]. Retrieved from http://www.slmethiopia.info.et/slkmknowledge/technologies/tech_report.php?questid=eth41.
- [6] Welle, S., Chantawarangul, K., Nontananandh, S., & Jantawat, S. (2006). Effectiveness of grass strips as barriers against runoff and soil loss in Jijiga area, northern part of Somalia region, Ethiopia. *Kasetsart Journal: Natural Science*, 40, (pp. 549-558).
- [7] Bo Gohl. 1981. Tropical feeds: feed information summaries and nutritive value. Food and Agriculture Organization of the United Nations. <http://books.google.fr/books?id=AsJCaQ6JCaQ6j0McC>
- [8] Ecocrop. 2010. Ecocrop database. FAO. <http://ecocrop.fao.org/>



RESEARCH
PROGRAM ON
Water, Land and
Ecosystems

Led
by:



The Nile Basin Development Challenge (NBDC) is funded by the CGIAR Challenge Program on Water and Food (CPWF). It aims to improve the resilience of rural livelihoods in the Ethiopian highlands through a landscape approach to rainwater management. It comprises five linked projects examining: 1) learning from the past; 2) developing integrated rainwater management strategies; 3) targeting and scaling out of rainwater management innovations; 4) assessing and anticipating the consequences of innovation in rainwater management systems; and 5) catalysing platforms for learning, communication and coordination across the projects.

The NBDC is implemented by a consortium comprising the International Livestock Research Institute, International Water Management Institute, World Agroforestry Centre, Overseas Development Institute, Nile Basin Initiative, Stockholm Environment Institute, Ethiopian Economic Policy Research Institute, Catholic Relief Services – Ethiopia, Oromia Regional Agricultural Research Institute, Amhara Regional Agricultural Research Institute, Bahir Dar University, Ambo University, Wollega University, the Ministry of Agriculture and the Ministry of Water and Energy.

Prepared by: Gerba Leta, Alan Duncan and Asebe Abdena.
<http://www.nilebdc.org>



This document is licensed for use under a Creative Commons Attribution-Noncommercial-Share Alike 3.0 Unported Licence

June 2013