

# A Food Composition Table for Central and Eastern Uganda

---

Christine Hotz, Abdelrahman Lubowa, Cristina Sison,  
Mourad Moursi, Cornelia Loechl



---

*HarvestPlus Technical Monographs* are designed to provide a forum for HarvestPlus research outputs.

**Technical Monographs can be of two kinds:**

- state-of-the-art reviews that help to establish and define HarvestPlus research questions or
- “gold standard” procedures to be followed in HarvestPlus research.

HarvestPlus technical monographs are written by recognized experts in the field and are externally peer reviewed prior to publication.

**Christine Hotz, Abdelrahman Lubowa, Cristina Sison, Mourad Moursi, Cornelia Loechl, 2012.**

*A Food Composition Table for Central and Eastern Uganda*

HarvestPlus Technical Monograph 9.

Washington, DC and Cali: International Food Policy Research Institute (IFPRI) and International Center for Tropical Agriculture (CIAT).

Copyright HarvestPlus, 2012

ISBN 978-0-9818176-2-0

# A Food Composition Table for Central and Eastern Uganda

Christine Hotz,  
Abdelrahman Lubowa,  
Cristina Sison,  
Mourad Moursi,  
Cornelia Loechl

---

HarvestPlus,  
Washington DC



## Acknowledgments

The authors would like to thank Victoria Anderson, Vinicius Pabon, and Michelle Michalek for their work on earlier versions of this food composition table. They are also grateful to Mary Arimond for her guidance and assistance early on in the process.

## Abbreviations Used

AOAC	Association of Official Analytical Chemists
DFE	Dietary Folate Equivalents
FAO	Food and Agriculture Organization
FCT	Food Composition Table
IU	International Units
RAE	Retinol Activity Equivalents
RE	Retinol Equivalents
USDA	United States Department of Agriculture
WHO	World Health Organization



---

# Table of Contents

---

I   Introduction	1
II   Food Composition Table	1
Sources of Food Composition Data	3
Development of “Hybrid” Food Items for Use as Ingredients in Recipes	5
Food Name Descriptions	5
Food Numbering	6
General Notes for Nutrients and Other Food Composition Data	7
Food Groups	8
Food State Codes	8
III   Gram-Weight Conversion Factors	9
Conversion Methods	9
IV   Standard Recipes	11
V   Electronic Files	11
References	12
Appendix 1: Recipes	14



## I | Introduction

In the context of evaluating an intervention to introduce provitamin A-rich orange sweet potato in rural Ugandan communities, HarvestPlus and its collaborators conducted surveys of dietary intakes using an interactive, 24-hour recall method (Gibson and Ferguson 2008). After meeting with local partners, it was clear that a comprehensive, up-to-date food composition table (FCT) appropriate for Ugandan diets was not available. Regionally focused FCTs were also limited when this work commenced in 2006. Hence, HarvestPlus undertook to develop an FCT for use in Central and Eastern Uganda. Given the large effort required to compile an FCT and the growing interest in quantitative food and nutrient intake assessment to support food-based interventions in the region, HarvestPlus chose to make this resource available to others through this publication. We expect this may be useful for others conducting nutrition-related research or designing nutrition interventions in the region.

In addition to a documented FCT, we also present information and tables on two related datasets. The first is a table of gram-weight conversion factors to aid in the quantification of portion sizes of foods consumed from dietary data collected by recall. The second is a set of standard recipes for commonly consumed composite dishes in the region. Electronic versions of all tables in database format are available through HarvestPlus. They are formatted for use with CSDietary, a software program developed by Serpro, Inc. (Santiago, Chile) in collaboration with HarvestPlus that is used to process dietary intake data and calculate nutrient intakes.

## II | Food Composition Table

This FCT represents a compilation of existing and imputed food composition data for foods commonly consumed in Central and Eastern Uganda. With the exception of orange sweet potato, it does not contain data from the primary analysis of food samples collected in the region. This method assumes some obvious limitations, some of which are discussed below. However, the FCT compiled in this manner serves as a practical resource.

The food items included in the FCT were derived from two dietary intake surveys conducted in 84 selected communities from 3 districts in the Central and Eastern regions of Uganda among women and children 6 months to 7 years of age. Thus, the foods represent 100 percent of the energy and nutrient intakes of the individuals surveyed and are broadly representative of the foods consumed in these regions. It is possible, however, that some seasonal food items were not available during the timeframe of data collection and are missing from the FCT.

The food composition data included here represent the edible portion of the food items as indicated. Weight of refuse (e.g., skin, pits, bones) were generally removed when calculating the gram-weight amount of the food consumed. With few exceptions, this FCT does not contain entries for composite dishes. The method of data collection and processing used facilitated the breakdown of composite dishes consumed into the amounts of ingredients consumed. This allows for the correct categorization of food items and nutrients into food groups, which is important when quantifying the specific sources of nutrients. Composite dishes combining foods from different food groups can be difficult to assign to a specific food group and result in inaccuracies. Complete recipe data are provided in a separate table (see section IV).

A list of the nutrients and reference variables used in the FCT and a brief description of them are given in Table 1. The nutrients selected for use in this FCT are those most often considered in addressing food and nutrient intake inadequacies and in food-based interventions to improve nutrient intake adequacy in



**TABLE 1**

**VARIABLES AND DESCRIPTIONS USED IN THE FOOD COMPOSITION TABLE**

<b>Variable Name</b>	<b>Variable Description</b>
food_code	Food code (country specific)
food_description	Food description, general
food_state	Food state (raw and cooked states)
food_state_code	Food state code
fct_source	Source of original food composition data
fct_source_code	Food composition table original source code
fct_source_descr	Description of source of imputed food composition data
water_source_descr	Description of the source of water content data for adjusted food items
retention_source	Source of nutrient retention data applied
retention_source_code	Source code for nutrient retention data applied
retention_source_descr	Description of source of nutrient retention data
food_group	Food group name
food_group_code	Food group code
dry_matter_g	Dry matter content (grams)
water_g	Water content (grams)
energy_kcal	Energy (kilocalories)
protein_g	Protein (grams)
lipid_total_g	Total lipid/fat (grams)
carbohydrate_g	Carbohydrate (grams)
fiber_g	Fiber (grams)
calcium_mg	Calcium (milligrams)
iron_mg	Iron (milligrams)
zinc_mg	Zinc (milligrams)
vit_c_mg	Vitamin C (milligrams)
thiamin_mg	Thiamin (milligrams)
riboflavin_mg	Riboflavin (milligrams)
niacin_mg	Niacin (milligrams)
vit_b6_mg	Vitamin B6 (milligrams)
folate_total_mcg	Total folate (micrograms)
folic_acid_mcg	Folic acid, from fortificant (micrograms)
folate_food_mcg	Folate from natural food source (micrograms)
folate_dfe_mcg	Dietary Folate Equivalents (micrograms)
vit_b12_mcg	Vitamin B12 (micrograms)
vit_a_iu	Vitamin A International Units (IU)
vit_a_rae_mcg	Vitamin A Retinol Activity Equivalents (micrograms)
retinol_mcg	Retinol (micrograms)
alpha_carot_mcg	Alpha carotene (micrograms)
beta_carot_mcg	Beta carotene (micrograms)
beta_crypt_mcg	Beta cryptoxanthin (micrograms)

developing country regions (i.e., energy, macronutrients, selected vitamins and minerals). Additional nutrients emerging to be of concern in these regions (e.g., vitamin E, long-chain fatty acids and other lipid fractions) could be added in later editions.

### Sources of Food Composition Data

#### Primary source

Although drawn from several sources of existing FCTs (Table 2), the primary source of food composition data for this table was the United States Department of Agriculture (USDA) National Nutrient Database for Standard Reference, Release 21 (USDA 2008). The rationale for this selection was:

- It is a source that is updated at regular intervals. Secondary FCTs built from this source can thus also be easily updated by matching to original food codes.
- There are relatively few missing data for its core set of nutrients.
- It is reliable in terms of quality. Food data admitted to this FCT are obtained using up-to-date analytical methods by the USDA or contracted partners.
- Nutrient data for both raw and one or more cooked forms of the same food are often available.

Some disadvantages are that the nutrient content of food items included in the USDA may differ from those grown in the geographical regions for which dietary intakes will be assessed, due to differences in varieties cultivated and growing conditions. In many cases, the magnitude of error cannot be known given the lack of sufficient, reliable food composition data for most areas. Some adjustments for this limitation can be made for key foods and nutrients in the FCT. In general, the benefits of reliability, completeness, and convenience of using the USDA National Nutrient Database as a primary source were considered to outweigh the limitations. Care was taken not to select fortified foods, as there are as yet few fortified foods available in rural Ugandan markets. Ugandan foods that were fortified were treated separately, as described below.

#### Secondary sources

When matching food items or when close substitutes could not be found in the primary source, secondary sources of food composition data were consulted. Secondary food composition data sources used and codes assigned to them for use in the FCT documentation table are given in Table 2.

**TABLE 2**

**SOURCES OF FOOD COMPOSITION DATA USED AND ASSIGNED CODES**

FCT Source, Reference <sup>1</sup>	FCT Source (abbreviated) <sup>2</sup>
USDA National Nutrient Database for Standard Reference, Release 21 (USDA 2008)	USDA-21
The Composition of South African Foods, 1st edition (Kruger et al. 1998)	SA
ASEAN Food Composition Tables, 1st edition (Puwastien et al. 2000)	ASEAN
The Philippine Food Composition Tables (Portugal et al. 1997)	Phil
WorldFood Dietary Assessment System, version 2.0 (Bunch and Murphy 1997) (Contains FCTs for Egypt, India, Indonesia, Kenya, Mexico, and Senegal)	WFDA
The Composition of Foods Commonly Eaten in East Africa (West et al. 1988)	West 88
USDA National Nutrient Database for Standard Reference, Release 19 (USDA 2006)	USDA-19

<sup>1</sup> References for each source are provided in the References section. Additional sources of FCT data for completing missing nutrient values, moisture content levels, or nutrient retention factors for specific nutrients are also given in the References section.

<sup>2</sup> The abbreviated name of the FCT source of data, as appears in the electronic FCT database (*fct\_source*).

### *Tertiary sources*

Tertiary sources of food composition data and imputations of data were required in particular cases. In the case of vitamin A-fortified fats and oils, information on the vitamin A content was derived directly from product labels. Nutrient information for fortified flour mixtures provided by a local food security program was derived from available product information.

Local food items for which nutrient composition data were not identified were imputed directly from foods of a similar description derived from the primary or secondary nutrient composition sources. In some cases, food items were identified in primary or secondary sources, but the source contained missing data for some nutrients. In these cases, missing nutrient data were imputed directly from foods of a similar description.

Examples of other types of imputations made to the nutrient composition of specific food items include:

- For obscure, green leafy vegetables, generic food composition data were calculated as the mean of several common green leafy vegetable types.
- The project for which dietary assessment was implemented was the large-scale introduction of orange sweet potato for improved vitamin A status. Sweet potato entries were adjusted to reflect the determined dry matter content and beta-carotene/vitamin A content of specific, local sweet potato varieties.
- Due to the generally high content of vitamin A in ripe forms of mango and papaya, adjustments to the vitamin A content for semi-ripe and unripe forms of mango and papaya were imputed.

Specific sources of tertiary FCT data for completing missing nutrient values or adjusting particular nutrient contents of foods are noted in the electronic FCT database (*fct\_source\_descr*) and are given in the References section. For food items that had all food composition data imputed from another source, the *fct\_source* is coded as “HarvestPlus Uganda.” If tertiary sources were only used to complete missing nutrients

from the primary FCT source, *fct\_source* is coded for the primary source, and the tertiary source of specific nutrients is noted in the column *fct\_source\_description*.

### *Determination of cooked food values*

For some foods, nutrient composition data was not available for all common, local cooking methods. It was not considered appropriate to use data from one database source for a raw food and derive data for a cooked form of the same food item from a different database source. In this case, it was necessary to impute cooked food nutrient values from the raw food based on changes in moisture content and nutrient losses due to cooking.

Cooking generally changes the water content of foods—sometimes substantially and sometimes very little. Dry cooking (e.g., baking, frying, roasting) or dehydration for preservation results in reduced water content and thus an increase in nutrient content per 100 grams cooked food. Wet cooking methods (e.g., boiling, steaming) generally have the opposite effect, but the magnitude of increase in water content can also depend on the water content and water holding capacity of the raw food item. Steaming can have an ambiguous effect, and limited water content data are available for steamed foods together with their comparable raw food item.

Nutrients are often lost from foods as a result of cooking. The magnitude of loss is affected by the food matrix, nutrient, cooking temperature, cooking duration, and use of excess cooking water. Losses are generally higher for vitamins than for most minerals.

When imputing the nutrient content of cooked food from a raw food item, adjustments for change in moisture content were imputed in one of two ways:

- i) The water content was imputed using the relative difference (%) in water content for a similar food item for which both raw and appropriate cooked forms were available. This required identifying data for another starchy staple, root/tuber, green leafy vegetable, etc. The same relative (%) change in water content was then applied to the raw food item, resulting in a



proportional adjustment to energy and all nutrient contents.

ii) The water content was imputed directly from a similar food item prepared by the desired cooking method. This would only be used if the relative change in water content from the raw form could not be calculated.

Most water content data used for these imputations were derived from the USDA FCT. All sources of water content data used are noted in the electronic FCT (*water\_source\_descr*) and are listed in the References section.

Following any water content adjustment, factors for nutrient retention were then applied. The primary source of nutrient retention data by cooking source was the USDA Table of Nutrient Retention Factors, Release 6 (2007). These factors are generic in nature, applying to broad categories of foods (e.g., "legumes") and a selection of common cooking methods. Retention factors, expressed as the percentage of nutrients retained after cooking, that best fit the description of the food item to be adjusted, as well as the cooking method, were selected and applied.

For orange and yellow sweet potato, the retention factors for provitamin A carotenoids were derived from published literature for Uganda-specific varieties, and the retention of vitamin A in fortified vegetable oil and fats was derived from unpublished research results for these products. Otherwise, all nutrient retention data were derived from the USDA source (2007). The specific sources of these retention factors are noted in the electronic FCT (*retention\_source\_code* and *retention\_source\_description*) and are given in the References section.

### **Development of "Hybrid" Food Items for Use as Ingredients in Recipes**

As noted above, food intake data were calculated for all individual food items and for ingredients of composite cooked dishes. When recipe data were collected, the weight of the raw ingredients was recorded. However, if raw food items were selected from an FCT using the raw weight amount, nutrient losses from that

ingredient due to cooking would not be accounted for. If a cooked version of the food item was selected, the raw weight of the ingredient and the cooked weight of the food would not correspond.

Although this issue can be dealt with in different ways, we chose to prepare FCT entries for a series of ingredients based on their weight as added before cooking but for which the nutrient contents were adjusted for losses by a particular cooking method. Most often these ingredients were in raw form, but they also included pre-cooked items added to dishes for a second phase of cooking. These "hybrid" food items or ingredients are included in the electronic version of the tables only. Because they mirror existing raw or precooked food items, they use the food code derived from the raw ingredient but prefaced by a "7" for ingredients in recipes prepared by frying and by an "8" for ingredients in recipes prepared by boiling to form a new 6-digit food code. To avoid confusion during data entry, the food name was also prefaced and ended with an asterisk (\*), followed by the cooking method of the recipe (i.e., fried or boiled).

It is worth emphasizing that the system of using these food items adjusted for nutrient losses from cooking as ingredients is not a conventional approach for FCTs but was found to be convenient for our approach to calculating recipes. Other methods using standard entries for raw ingredients found in this FCT can be applied, such as those described by Charrondiere and Burlingame (2011) and Greenfield and Southgate (2003).

### **Food Name Descriptions**

Food names were designed to be complete in their descriptions, providing sufficient information to fully identify the food relative to its nutrient composition. The following descriptions were considered and applied as relevant:

- Specific food item
- Specific part of food item (e.g., chicken wing, with skin)
- Fresh or dried state (e.g., pumpkin leaves, dried)

- Processing state (e.g., refined vs. whole grain, smoked)
- Color (as relevant for nutrient content or identification)
- Stage of maturity or ripeness
- Raw or cooked; if cooked, the cooking method used (e.g., boiled, steamed, roasted, fried)

In most cases, food items that used local names also had their common names given. In a few exceptions, the species could not be precisely identified, and food composition data from an item of similar description

were selected or imputed, and only a local name is given.

### Food Numbering

The FCT uses a food code system with four to six digits, whereby codes are arranged by food group and subgroup. This system allows flexibility for the addition of new foods to the FCT so that foods of the same group will be ordered together. The numeric ranges of food codes used for each food group are given in Table 3.

**TABLE 3**

#### FOOD GROUP NAMES AND CODES

Food Group Code	Food Group Name	Food Group Description	Food Code (range)
1	Biofortified crop <sup>1</sup>	--as assigned--	
2	Grains and grain products	Whole and refined grains and products, bakery products or pastries based on grain flour	1000-1999
3	Roots and tubers	Starchy roots and tubers	2000-5999
4	Beans, nuts, and seeds	Beans, lentils, peas, nuts, seeds	6000-8999
5	Milk and dairy	Milk, milk powder, sour milk, cheese, cream, yogurt	9000-9999
6	Meats, poultry, and insects	Red meat, white meat, poultry, game, rodents, processed meats, organ meats (kidney, liver, mixed offals, intestines), blood, animal skin/ears/feet/head, insects	11000-13999 16000-16999
7	Fish and seafoods	Whole fish, fish meat, eel, reptiles, shell fish	14000-15999
8	Eggs	Whole or separated eggs	17000-17999
9	Fruits and fresh/pure fruit juices	Fresh fruits, dried fruits, undiluted pure fruit juices, starchy fruits (banana/plantain)	30000-39999
10	Vegetables	Fresh vegetables, dried vegetables	18000-18999 29000-29999
11	Fats and oils	Vegetable oils, margarine, butter, ghee, animal fats including lard, shortening, drippings	25000-25999
12	Sugars and sweets	Sugar, honey, syrup, candies, sweets, chocolates, sweet cookies	26000-26999
13	Beverages	Tea, coffee, soda, powdered drink mixes, artificial, diluted or sweetened juices and infusions, non-dairy fermented beverages, beer and other alcoholic beverages	27000-27999
14	Miscellaneous	Condiments, spices, soup stocks/broths, baking powder/soda, ash	40000-49999

<sup>1</sup> This food group designation was intended to facilitate isolation of food items that may be the target of a food-based intervention, such as biofortified foods (e.g., orange sweet potato). It may also be used for food items targeted for fortification or agricultural production.



## General Notes for Nutrients and Other Food Composition Data

All FCT data are expressed per 100 grams of food in the state indicated by the food description. Food composition data are complete for all nutrients with the exception of fiber and values for water content of four food items for which appropriate data were not found. Zero values given in the FCT are thus true zeros and not missing values.

Energy proximates and nutrient content were calculated as described in USDA (2008), unless referenced data indicates otherwise. Briefly, protein was calculated from the amount of total nitrogen in food, total lipid by gravimetric methods, and carbohydrate by the difference of 100 – the sum of the percent of water, protein, total lipid, ash, and alcohol. Energy was calculated from proximates using the Atwater system of caloric factors. Nutrient contents were determined using Association of Official Analytical Chemists (AOAC) methods. Significant figures for nutrient values were given as per USDA (2008), with the exception of iron, which was rounded to one digit.

### *Dry matter*

Dry matter was calculated as:  
 $(100 - \text{water content grams}) \div 100 \text{ grams food}$ .

### *Folate*

Following the USDA methods, folate values are given as available for total folate, food folate, folic acid, and Dietary Folate Equivalents (DFE). These forms are distinguished because folic acid, the fortificant form of folate, has a higher biological equivalent than natural food folate by a factor of 1.7. DFE is a unit that takes these different biological values into account and is the final form used in the calculation of nutrient intakes; only this folate variable was ensured complete for all food entries. The definitions for the various sources of folate are summarized in Table 4.

### *Niacin*

Niacin values are for preformed niacin only and do not include the contribution of tryptophan, which is a precursor to niacin (i.e., 60 mg of tryptophan = 1 mg of niacin). Dietary requirements are generally expressed as Niacin Equivalents required per day, which assume a contribution from tryptophan. It should thus be recognized that the adequacy of dietary niacin intakes calculated from this FCT may be underestimated.

### *Vitamin A*

Several forms of vitamin A are included in the FCT. The Retinol Activity Equivalents (RAE) adopted by the U.S. Food and Nutrition Board/Institute of Medicine (2001) were used. These differ from Retinol Equivalents (RE),

**TABLE 4**

**FOLATE SOURCES AND THEIR DESCRIPTION AS USED IN THE FCT**

<b>Folate Source</b>	<b>Description</b>
Food folate	Natural, endogenous folate in food
Folic acid	Exogenous form of folate added as a fortificant
Total folate	Direct sum of food folate and folic acid
Dietary Folate Equivalents (DFE)	Calculated as: food folate + (folic acid x 1.7)

which are still used by the World Health Organization (WHO)/Food and Agriculture Organization (FAO) (2004), in that compared to RE, the RAE assume that twice as many µg of provitamin A are required to produce one µg of retinol in the body. The derivation of the RAE units, as applied to all food items regardless of source, is summarized in Table 5.

Although vitamin A International Units (IU) are no longer used to express dietary vitamin A intakes, and data are not complete in the FCT, these units are still occasionally the only form of vitamin A content available for some foods. The vitamin A IU column in this FCT is thus considered as a “working column” to be used only if necessary. If only IU data were available for vitamin A content, the following conversions to RAE were used:

For plant-source vitamin A derived from provitamin A carotenoids:

$$\text{Vitamin A RAE} = \text{Vitamin A IU} \div 20;$$

For animal source (retinol) or fortificant forms of vitamin A:

$$\text{Vitamin A RAE} = \text{Vitamin A IU} \div 3.33.$$

### Food Groups

All food items were assigned to one appropriate food group. The food group names, descriptions, and codes used are summarized in Table 3.

### Food State Codes

Although the state of each food item with regard to cooking method is indicated within the food name, a separate code to indicate cooking state was included. The food states and codes are given in Table 6.

TABLE 5	
SOURCE OF VITAMIN A AND CONVERSION TO RETINOL ACTIVITY EQUIVALENTS <sup>1</sup>	
Vitamin A Form	Retinol Activity Equivalents (RAE)
Retinol	µg retinol ÷ 1
Alpha-carotene	µg alpha-carotene ÷ 24
Beta-carotene	µg beta-carotene ÷ 12
Beta-cryptoxanthin	µg beta-cryptoxanthin ÷ 24

<sup>1</sup> Retinol Equivalents (RE) used by WHO/FAO (2004) use a factor of 6 for beta-carotene and 12 for alpha-carotene and beta-cryptoxanthin.

TABLE 6	
FOOD STATES AND CODES	
Food State Description	Food State Code
Raw	1
Boiled	2
Steamed	3
Fried	4
Roasted	5



### III | Gram-Weight Conversion Factors

In addition to the nutrient content of specific food items, dietary assessment using the 24-hour recall method also requires other detailed information on foods and recipes. For example, food intakes ultimately need to be presented on a gram-weight basis. However, the portion sizes of foods and composite dishes consumed and ingredient amounts used in home-prepared recipes are typically not described and recorded in gram weights during the 24-hour recall interview. Rather, food amounts are often recorded in units such as measured volumes, household measures (e.g., a cup, teaspoon), food item sizes (e.g., small, medium, large), or standard units for uniformly sized food items (e.g., eggs, bread slices). Each method requires a set of gram-weight conversion factors. Unfortunately, this type of information is scarcely available in published documents.

Some of the conversion factors presented in the database (see section V) are specific to the survey methods used to estimate portion sizes, but others are more general and many may be useful for future surveys in Uganda and the region. The variable names, variable descriptions, and variable codes used in the conversion factor file are summarized in Table 7. Every food item in the FCT has one or more conversion factor associated with it. In addition, every recipe has a volume-to-weight conversion factor, as the intake amount of composite dishes was estimated as a volume.

#### Conversion Methods

Several methods were used in the dietary survey to estimate portion sizes, the selection of which depended on the food type. Direct weight was used when common cooked foods were weighed directly on a scale (and hence have a conversion factor of “1”) and recorded as grams. Volumes of liquids, semi-liquid foods, and composite dishes were demonstrated in a bowl or cup but measured in volumetric flasks and recorded in milliliters. For some foods of relatively uniform diameter but varying length, gram-weight

conversions based on measured length were used (e.g., some fish). Standard volumetric measures for small amounts of liquids were used. These included a set of teaspoons and “kendos,” which are small metal scoops used to sell vegetable oil in the market. Standard sizes were represented by life-size photos of small, medium, and large food items or a single (standard) unit for food items that vary little in size.

**TABLE 7**

**VARIABLE NAMES, DESCRIPTIONS, AND CODES USED  
FOR GRAM-WEIGHT CONVERSION FACTORS**

Variable Name	Variable Description	Codes and Descriptions
conv_codetype	Conversion type code to indicate individual food items or recipes	1 – Conversion for individual food items 2 – Volume-to-weight conversion for recipes
conv_foodcode	Food code (as appears in FCT)	
conv_food_descr	Food description (as appears in FCT)	
conv_method	Conversion method code	1 – Direct weight (grams) 2 – Volume (milliliters) 3 – Length (centimeters) 4 – Standard volume 5 – Standard size 7 – Model weight (play-dough)
conv_method_descr	Conversion method description	
conv_stdvol	Standard volume code	11 – Spoon 1 12 – Spoon 2 13 – Spoon 3 31 – Small kendo 32 – Medium kendo 33 – Large kendo
conv_stdvol_descr	Standard volume description	
conv_size	Standard size code	1 – Small 2 – Medium 3 – Large 4 – Standard size
conv_size_descr	Standard size description	
conv_factor	Mathematical conversion factor (all methods)	
conv_unit	Conversion unit code	1 – Actual weight of food in grams (g) 2 – Grams of food per gram of play-dough (g/g) 3 – Grams of food per ml of food (g/ml) 4 – Grams of food for indicated measuring spoon size (g) 5 – Grams of food for the indicated size of food (g) 6 – Grams of food per unit length of food (g/cm)
conv_unit_descr	Conversion unit description	

**TABLE 8**

**VARIABLE NAMES, DESCRIPTIONS, AND CODES USED  
FOR STANDARD RECIPES**

Variable Name	Variable Description	Codes and Descriptions
recipe_code	Recipe code	
recipe_descr	Recipe description (includes names of all ingredients)	
recipe_type	Recipe type (indicates if recipe was derived directly from collected data or modified through imputations)	1 – Standard 2 – Standard modified 4 – Household average
recipe_type_descr	Recipe type description	
ingr_code	Ingredient code (as given in FCT for ingredients)	
ingr_descr	Ingredient description (as given in FCT for ingredients)	
ingr_fraction	Ingredient fraction (as a proportion of the cooked recipe weight)	
ingr_fraction_type	Ingredient fraction type	1 – Milliliter fraction 2 – Grams fraction
ingr_fraction_type_descr	Ingredient fraction type description	

## IV | Standard Recipes

Recipes for composite dishes tend to be locally specific. Collection of reliable household-level data by recall can be challenging and time consuming. As a way of simplifying data collection procedures without severely compromising the accuracy of information, standard recipe data for several common dishes were collected and applied. Standard recipes were compiled by organizing several community members to prepare specified dishes using usual proportions of ingredients. Ingredient weights and the final weight of the cooked recipe were recorded and averaged. Recipe data collection methods are described in further detail in Gibson and Ferguson (2008).

While recipes are defined by their major ingredients, they can vary in their content of minor ingredients. Also, recipes could have similar major ingredients, such as bean dishes where the recipe would not change whether red beans or yellow beans were used. We, therefore, modified standard recipes by removing minor ingredients, such as onions and tomatoes, and recalculating the ingredient proportions or substituting similar major ingredient types.

Finally, recipe data that were collected in households based on recall of ingredient amounts and final cooked volumes during the dietary survey were compiled and averaged for common recipes not collected as standard recipes. Standard recipes collected and modified are given in Appendix 1 and in database format (see section V) with the proportion of ingredients by weight. The water content of the final cooked recipe is not given but can be calculated as:  $1 - \text{sum of proportion of ingredients by weight}$ . Variable names, descriptions, and codes used are summarized in Table 8. Household average recipes are maintained in the electronic file.

## V | Electronic Files

Electronic files containing the FCT and related data in Excel format are available through the [HarvestPlus website](#). These are:

- HarvestPlus Uganda FCT.xls
- HarvestPlus Uganda Recipes.xls
- HarvestPlus Uganda Conversions.xls

Additional files that are formatted specifically for use with the CSDietary program are available by request ([harvestplus@cgiar.org](mailto:harvestplus@cgiar.org)).

## References

- Bengtsson, A., A. Namutebi, M. Larsson Alminger, and U. Svanberg. 2008. "Effects of Various Traditional Processing Methods on the All-Trans-B-Carotene Content of Orange-Fleshed Sweet Potato." *Journal of Food Composition Analysis* 21: 134-143.
- Bunch, S., and S. P. Murphy. 1997. *User's Guide to the Operation of the World: Food Dietary Assessment System, Version 2.0*. Berkeley: Office of Technology Licensing, University of California, Berkeley.
- Charrondiere, U. R., and B. Burlingame. 2010. "Report on the FAO/INFOODS Compilation Tool: A Simple System to Manage Food Composition Data." *Journal of Food Composition and Analysis* 24: 711-715.
- Food and Agricultural Organization (FAO). 1995. *Sorghum and Millets in Human Nutrition*. FAO Food and Nutrition Series, No. 27. Rome: Food and Agriculture Organization.
- Food and Nutrition Board, and Institute of Medicine. 2001. "Vitamin A." In *Dietary Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc*. Washington, DC: National Academy Press.
- Gibson, R. S., and E. L. Ferguson. 2008. *An Interactive 24-Hour Recall for Assessing the Adequacy of Iron and Zinc Intakes in Developing Countries*. HarvestPlus Technical Monograph 8. Washington, DC: HarvestPlus.
- Greenfield, H., and D. A. T. Southgate. 2003. *Food Composition Data: Production, Management, and Use*, 2nd ed. Rome: Food and Agriculture Organization.
- Kidmose, U., L. P. Christensen, S. M. Agili, and S. Thilsted. 2007. "Effect of Home Preparation Practices on the Content of Provitamin A Carotenoids in Coloured Sweet Potato Varieties (*Ipomea batatas* Lam.) from Kenya." *Innovative Food Science and Emerging Technologies* 8: 399-406.
- Kruger, M., N. Sayed, M. Langenhoven, and F. Holing. 1998. *Composition of South African Foods: Vegetables and Fruit*. Capetown, South Africa: Medical Research Council.
- Lukmanj, Z., E. Hertzmark, N. Mlingi, V. Assey, G. Ndossi, and W. Fawzi. 2008. *Tanzania Food Composition Tables*. Dar es Salaam, Tanzania: MUHAS-TFNC, HSPH.
- Ma, G., Y. Jin, J. Piao, F. Kok, B. Guusje, and E. Jacobsen. 2005. "Phytate, Calcium, Iron, and Zinc Contents and Their Molar Ratios in Foods Commonly Consumed in China." *Journal of Agricultural and Food Chemistry* 53: 10285-10290.
- National Food and Nutrition Commission. 2007. *The 3rd Edition of Zambian Food Composition Tables*. Lusaka, Zambia: National Food and Nutrition Commission.
- Pepping, F., C. M. J. Vencken, and C. E. West. 1988. "Retinol and Carotene Content of Foods Consumed in East Africa Determined by High Performance Liquid Chromatography." *Journal of the Science of Food and Agriculture* 45: 359-371.
- Puwastien, P., B. Burlingame, M. Raroengwichit, and P. Sungpuag. 2000. *ASEAN Food Composition Tables*. Bangkok, Thailand: Institute of Nutrition, Mahidol University, and INFOODS Regional Database Centre.

Portugal, T., R. Apilado, J. Ardeña, E. Avena, P. Matibag, G. Reyes, E. Castillo, A. Aguinaldo, I. Abdon, and A. Lontoc. 1997. *The Philippine Food Composition Tables*. Manila, Philippines: Food and Nutrition Research Institute, Department of Science and Technology.

Sayed, N., Y. Frans, and H. Schonfeldt. 1999. *Composition of South African Foods: Milk and Milk Products, Eggs, Meat and Meat Products*. Cape Town, South Africa: Medical Research Council.

U.S. Department of Agriculture, Agricultural Research Service. 2006. "USDA National Nutrient Database for Standard Reference, Release 19." Beltsville, MD: USDA. [www.ars.usda.gov/Services/docs.htm?docid=15973](http://www.ars.usda.gov/Services/docs.htm?docid=15973).

U.S. Department of Agriculture, Agricultural Research Service. 2007. "USDA Table of Nutrient Retention Factors, Release 6." Beltsville, MD: USDA. [www.ars.usda.gov/Main/docs.htm?docid=9448](http://www.ars.usda.gov/Main/docs.htm?docid=9448).

U.S. Department of Agriculture, Agricultural Research Service, USDA Nutrient Data Laboratory. 2008a. "USDA National Nutrient Database for Standard Reference, Release 21." Beltsville, MD: USDA. [www.ars.usda.gov/Services/docs.htm?docid=18880](http://www.ars.usda.gov/Services/docs.htm?docid=18880).

U.S. Department of Agriculture, Agricultural Research Service, USDA Nutrient Data Laboratory. 2008b. "Composition of Foods: Raw, Processed, Prepared. USDA National Nutrient Database for Standard Reference, Release 21." Beltsville, MD: USDA. [www.ars.usda.gov/Services/docs.htm?docid=18880](http://www.ars.usda.gov/Services/docs.htm?docid=18880).

USAID Commodities Reference Guide. 2006. "Section II: Food commodity fact sheets. Corn Soy Blend." [www.usaid.gov/our\\_work/humanitarian\\_assistance/ffp/crg/fscornsoyblend.htm](http://www.usaid.gov/our_work/humanitarian_assistance/ffp/crg/fscornsoyblend.htm).

Umeta, M., C. E. West, and H. Fufa. 2005. "Content of Zinc, Iron, Calcium and Their Absorption Inhibitors in Foods Commonly Consumed in Ethiopia." *Journal of Food Composition and Analysis* 18: 803-817.

WHO, FAO. 2004. *Vitamin and Mineral Requirements in Human Nutrition*, 2nd ed. Geneva: World Health Organization.

WHO, FAO. 2006. *Guidelines on Food Fortification with Micronutrients*. Edited by L. Allen, B. DeBenoist, O Dary, and R. Hurrell. Geneva: World Health Organization.

West, C. E., F. Pepping, and C. R. Temalilwa. 1988. *The Composition of Foods Commonly Eaten in East Africa*. Wageningen, The Netherlands: Wageningen Agricultural University.

West, C. E., and E. J. Poortvliet. 1993. *The Carotenoid Content of Foods with Special Reference to Developing Countries*. Arlington, Virginia: Vitamin A Field Support Project (VITAL), International Science and Technology Institute, Inc.

# Appendix 1: Recipes

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
90300	<b>MATOOKE, MASHED, BOILED</b>		<b>Standard Modified</b>
805001	* BANANA,MATOOKE,GREEN,FRESH,RAW *BOILED*	1.000	
90301	<b>MATOOKE, MASHED, STEAMED</b>		<b>Standard Modified</b>
805003	* BANANA,MATOOKE,GREEN,FRESH,RAW *STEAMED*	1.000	
90400	<b>ATAP, CASSAVA FLOUR</b>		<b>Standard</b>
802020	* CASSAVA FLOUR,RAW *BOILED*	0.448	
90401	<b>ATAP, CASSAVA &amp; MILLET FLOUR</b>		<b>Standard</b>
802020	* CASSAVA FLOUR,RAW *BOILED*	0.340	
801104	* MILLET FLOUR,RAW *BOILED*	0.077	
90402	<b>ATAP, CASSAVA &amp; SORGHUM FLOUR</b>		<b>Standard</b>
802020	* CASSAVA FLOUR,RAW *BOILED*	0.340	
801106	* SORGHUM FLOUR,RAW *BOILED*	0.077	
90403	<b>ATAP, CASSAVA, MILLET &amp; SORGHUM FLOUR</b>		<b>Standard</b>
802020	* CASSAVA FLOUR,RAW *BOILED*	0.340	
801104	* MILLET FLOUR,RAW *BOILED*	0.040	
801106	* SORGHUM FLOUR,RAW *BOILED*	0.040	
90500	<b>POSHO (MAIZE ATAP), WHITE, REFINED FLOUR</b>		<b>Standard</b>
801041	* MAIZE FLOUR,WHITE VARIETY,REFINED,RAW *BOILED*	0.340	
90501	<b>POSHO (MAIZE ATAP), WHITE, UNREFINED FLOUR</b>		<b>Standard</b>
801042	* MAIZE FLOUR,WHITE VARIETY,UNREFINED,RAW *BOILED*	0.329	
90502	<b>POSHO (MAIZE ATAP), YELLOW, REFINED FLOUR</b>		<b>Standard</b>
801043	* MAIZE FLOUR,YELLOW VARIETY,REFINED,RAW *BOILED*	0.340	
90503	<b>POSHO (MAIZE ATAP), YELLOW, UNREFINED FLOUR</b>		<b>Standard</b>
801044	* MAIZE FLOUR,YELLOW VARIETY,UNREFINED,RAW *BOILED*	0.329	
90504	<b>POSHO (MAIZE ATAP), MAIZE-SOY FLOUR - TASO</b>		<b>Standard</b>
801041	* MAIZE FLOUR,WHITE VARIETY,REFINED,RAW *BOILED*	0.340	
90601	<b>RICE, WHITE (POLISHED), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
801201	* RICE,WHITE,POLISHED,RAW *BOILED*	0.310	
90602	<b>RICE, WHITE (POLISHED), W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard Modified</b>
801201	* RICE,WHITE,POLISHED,RAW *BOILED*	0.313	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.015	

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
90611	<b>RICE, BROWN (UNPOLISHED), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
801204	* RICE,BROWN,UNPOLISHED,RAW *BOILED*	0.310	
90611	<b>RICE, BROWN (UNPOLISHED), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
801204	* RICE,BROWN,UNPOLISHED,RAW *BOILED*	0.310	
90612	<b>RICE, BROWN (UNPOLISHED), W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard Modified</b>
801204	* RICE,BROWN,UNPOLISHED,RAW *BOILED*	0.313	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.015	
91000	<b>RAW TOMATO SOUP W/WO ONIONS</b>		<b>Standard</b>
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	1.000	
91001	<b>BOILED TOMATO SOUP, W/WO ONIONS</b>		<b>Standard</b>
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.810	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.096	
91002	<b>BOILED TOMATO SOUP,W/WO ONION, VEGETABLE OIL</b>		<b>Standard</b>
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.780	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.135	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.085	
91011	<b>SOUP/STOCK, BEEF/GOAT/PORK,W/WO TOMATOES &amp;/OR ONIONS,VEGETABLE OIL</b>		<b>Standard Modified</b>
41010	SOUP,STOCK,BEEF,HOME-PREPARED	0.907	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.093	
92001	<b>CHICKEN SOUP/STOCK, W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
42000	SOUP,STOCK,CHICK,HOME-PREPARED	0.871	
25011	VEGETABLE OIL,SUNFLOWER SEED,RAW	0.129	
93001	<b>FISH (ALL TYPES) SOUP/STOCK, W/WO TOMATOES &amp;/OR ONIONS,VEGETABLE OIL</b>		<b>Standard</b>
43000	SOUP,STOCK,FISH,HOME-PREPARED	0.942	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.058	
93002	<b>FISH (ALL TYPES) SOUP/STOCK, W/WO TOMATOES &amp;/OR ONIONS,GROUNDNUTS (POWDER/PASTE)</b>		<b>Standard Modified</b>
43000	SOUP,STOCK,FISH,HOME-PREPARED	0.797	
808007	* GROUNDNUTS,POWDER,RAW *BOILED*	0.179	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.024	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.000	
93003	<b>FISH (ALL TYPES) SOUP/STOCK, W/WO TOMATOES &amp;/OR ONIONS,SOUR MILK</b>		<b>Standard Modified</b>

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
809205	* SOURMILK,FRESH,RAW *BOILED*	0.277	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.048	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.014	
814027	* FISH,NILE PERCH (TYPE 3),SMOKED/DRIED,BOILED *BOILED*	0.011	
814006	* FISH,TILAPIA (TYPE 2),SMOKED/DRIED,RAW *BOILED*	0.007	
814046	* FISH,LUNGFISH (TYPE 4),SMOKED/DRIED,RAW *BOILED*	0.003	
<b>94000</b>	<b>BEAN SAUCE (K20/PINTO, DRIED), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.450	
806009	* BEANS,PINTO(K20/NAMBALE),DRIED,RAW *BOILED*	0.100	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.091	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.011	
<b>94001</b>	<b>BEAN SAUCE (K20/PINTO, DRIED),W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
806009	* BEANS,PINTO(K20/NAMBALE),DRIED,RAW *BOILED*	0.289	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.066	
25011	VEGETABLE OIL,SUNFLOWER SEED,RAW	0.025	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.013	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.002	
725015	* VEGETABLE OIL,SOYBEAN SEED,RAW *COOKED*	0.001	
<b>94080</b>	<b>BEAN SAUCE (CRANBERRY/KANYEBWA, FRESH), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
806101	* BEANS,CRANBERRY(KANYEBWA),FRESH,RAW *BOILED*	0.532	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.092	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.022	
<b>94081</b>	<b>BEAN SAUCE (CRANBERRY/KANYEBWA, FRESH), W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
806101	* BEANS,CRANBERRY(KANYEBWA),FRESH,RAW *BOILED*	0.517	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.089	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.028	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.021	
<b>94100</b>	<b>BEAN SAUCE (GREEN GRAM/MUNG, DRIED) W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
806089	* BEANS,MUNG,DRIED,RAW *BOILED*	0.290	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.040	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.010	
<b>94101</b>	<b>BEAN SAUCE (GREEN GRAM/MUNG, DRIED) W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard Modified</b>
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.150	
806089	* BEANS,MUNG,DRIED,RAW *BOILED*	0.133	

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.043	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.027	
725008	* VEGETABLE OIL,TASO(PALMLOLEIN),RAW *COOKED*	0.016	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.005	
<b>94103</b>	<b>BEAN SAUCE (BLACK BEANS, DRIED), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
806030	* BEANS,BLACK,DRIED,BOILED *BOILED*	0.450	
806029	* BEANS,BLACK,DRIED,RAW *BOILED*	0.100	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.091	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.011	
<b>94104</b>	<b>BEAN SAUCE (BLACK BEANS, DRIED), W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
806029	* BEANS,BLACK,DRIED,RAW *BOILED*	0.289	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.066	
25011	VEGETABLE OIL,SUNFLOWER SEED,RAW	0.025	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.013	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.002	
725015	* VEGETABLE OIL,SOYBEAN SEED,RAW *COOKED*	0.001	
<b>94106</b>	<b>BEAN SAUCE (WHITE/NAVY BEANS, DRIED), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
806070	* BEANS,WHITE(NAVY),DRIED,BOILED *BOILED*	0.450	
806069	* BEAN,WHITE(NAVY),DRIED,RAW *BOILED*	0.100	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.091	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.011	
<b>94107</b>	<b>BEAN SAUCE (WHITE/NAVY, DRIED), W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
806069	* BEANS,WHITE(NAVY),DRIED,RAW *BOILED*	0.289	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.066	
25011	VEGETABLE OIL,SUNFLOWER SEED,RAW	0.025	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.013	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.002	
725015	* VEGETABLE OIL,SOYBEAN SEED,RAW *COOKED*	0.001	
<b>94109</b>	<b>BEAN SAUCE (CRANBERRY/KANYEBWA, DRIED), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
806110	* BEANS,CRANBERRY(KANYEBWA),DRIED,BOILED *BOILED*	0.450	
806109	* BEANS,CRANBERRY(KANYEBWA),DRIED,RAW *BOILED*	0.100	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.091	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.011	
<b>94110</b>	<b>BEAN SAUCE (CRANBERRY/KANYEBWA, DRIED), W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
806109	* BEANS,CRANBERRY(KANYEBWA),DRIED,RAW *BOILED*	0.289	

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.066	
25011	VEGETABLE OIL,SUNFLOWER SEED,RAW	0.025	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.013	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.002	
725015	* VEGETABLE OIL,SOYBEAN SEED,RAW *COOKED*	0.001	
<b>94115</b>	<b>BEAN SAUCE (OTHER KIDNEY BEAN TYPES, DRIED), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
806130	* BEANS,KIDNEY(OTHER),DRIED,BOILED *BOILED*	0.450	
806129	* BEANS,KIDNEY(OTHER),DRIED,RAW *BOILED*	0.100	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.091	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.011	
<b>94116</b>	<b>BEAN SAUCE (OTHER KIDNEY BEAN TYPES, DRIED), W/WO TOMATOES &amp;/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
806129	* BEANS,KIDNEY(OTHER),DRIED,RAW *BOILED*	0.292	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.060	
829001	* CABBAGE,GREEN,FRESH,RAW *BOILED*	0.023	
25011	VEGETABLE OIL,SUNFLOWER SEED,RAW	0.020	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.014	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.006	
725015	* VEGETABLE OIL,SOYBEAN SEED,RAW *COOKED*	0.001	
25053	ANIMAL FAT,LARD,RAW	0.001	
<b>94302</b>	<b>COWPEA SEED SAUCE (EMAGIRA), W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
806215	* COWPEAS,DRIED,RAW *BOILED*	0.446	
<b>94400</b>	<b>SOY BEAN SAUCE, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
807030	* SOYBEAN FLOUR,RAW *BOILED*	0.153	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.139	
<b>94600</b>	<b>GROUNDNUT SAUCE, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
808007	* GROUNDNUTS,POWDER,RAW *BOILED*	0.200	
808010	* GROUNDNUTS,PASTE,RAW *BOILED*	0.050	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.050	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.010	
<b>94700</b>	<b>SESAME SEED SAUCE, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
808053	* SESAME SEED,PASTE,RAW *BOILED*	0.350	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.190	
<b>95200</b>	<b>PORRIDGE, MILLET FLOUR</b>		<b>Standard</b>
801104	* MILLET FLOUR,RAW *BOILED*	0.141	
830092	* LEMON,FRESH,RAW *BOILED*	0.035	

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
830022	* MANGO, GREEN, WO/SKIN, FRESH, RAW *BOILED*	0.019	
830102	* TAMARIND, FRESH, RAW *BOILED*	0.003	
<b>95202</b>	<b>PORRIDGE, MILLET FLOUR, W/COW MILK</b>		<b>Standard</b>
809001	* MILK, COW, WHOLE, FRESH, RAW *BOILED*	0.124	
801104	* MILLET FLOUR, RAW *BOILED*	0.074	
<b>95300</b>	<b>PORRIDGE, MAIZE FLOUR, WHITE, REFINED</b>		<b>Standard Modified</b>
801041	* MAIZE FLOUR, WHITE VARIETY, REFINED, RAW *BOILED*	0.122	
<b>95301</b>	<b>PORRIDGE, MAIZE FLOUR, WHITE, UNREFINED</b>		<b>Standard</b>
801042	* MAIZE FLOUR, WHITE VARIETY, UNREFINED, RAW *BOILED*	0.110	
<b>95305</b>	<b>PORRIDGE, MAIZE FLOUR, WHITE, UNREFINED, W/COW MILK</b>		<b>Standard</b>
809001	* MILK, COW, WHOLE, FRESH, RAW *BOILED*	0.139	
801042	* MAIZE FLOUR, WHITE VARIETY, UNREFINED, RAW *BOILED*	0.110	
<b>95312</b>	<b>PORRIDGE, MAIZE FLOUR, YELLOW, REFINED</b>		<b>Standard Modified</b>
801043	* MAIZE FLOUR, YELLOW VARIETY, REFINED, RAW *BOILED*	0.122	
<b>95313</b>	<b>PORRIDGE, MAIZE FLOUR, YELLOW, UNREFINED</b>		<b>Standard</b>
801044	* MAIZE FLOUR, YELLOW VARIETY, UNREFINED, RAW *BOILED*	0.110	
<b>95314</b>	<b>PORRIDGE, MAIZE FLOUR, YELLOW, REFINED, W/SUGAR</b>		<b>Standard Modified</b>
801043	* MAIZE FLOUR, YELLOW VARIETY, REFINED, RAW *BOILED*	0.113	
26002	SUGAR, CANE, ALL GRADE, RAW	0.060	
<b>95315</b>	<b>PORRIDGE, MAIZE FLOUR, YELLOW, UNREFINED, W/SUGAR</b>		<b>Standard Modified</b>
801044	* MAIZE FLOUR, YELLOW VARIETY, UNREFINED, RAW *BOILED*	0.093	
26002	SUGAR, CANE, ALL GRADE, RAW	0.047	
<b>95316</b>	<b>PORRIDGE, MAIZE FLOUR, YELLOW, REFINED, W/COW MILK</b>		<b>Standard Modified</b>
809001	* MILK, COW, WHOLE, FRESH, RAW *BOILED*	0.093	
801041	* MAIZE FLOUR, WHITE VARIETY, REFINED, RAW *BOILED*	0.052	
801043	* MAIZE FLOUR, YELLOW VARIETY, REFINED, RAW *BOILED*	0.040	
26002	SUGAR, CANE, ALL GRADE, RAW	0.039	
<b>95317</b>	<b>PORRIDGE, MAIZE FLOUR, YELLOW, UNREFINED, W/COW MILK</b>		<b>Standard Modified</b>
809001	* MILK, COW, WHOLE, FRESH, RAW *BOILED*	0.139	
801044	* MAIZE FLOUR, YELLOW VARIETY, UNREFINED, RAW *BOILED*	0.110	
<b>95380</b>	<b>PORRIDGE, MAIZE-SOY FLOUR (TASO)</b>		<b>Standard Modified</b>
801045	* CORN-SOY BLEND, (USAID/TASO), RAW *BOILED*	0.120	
<b>95381</b>	<b>PORRIDGE, MAIZE-SOY FLOUR (TASO), W/SUGAR</b>		<b>Standard Modified</b>

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
801045	* CORN-SOY BLEND,(USAID/TASO),RAW *BOILED*	0.120	
26002	SUGAR,CANE,ALL GRADE,RAW	0.060	
95382	<b>PORRIDGE, MAIZE-SOY FLOUR (TASO), W/COW MILK</b>		<b>Standard Modified</b>
809001	* MILK,COW,WHOLE,FRESH,RAW *BOILED*	0.139	
801045	* CORN-SOY BLEND,(USAID/TASO),RAW *BOILED*	0.110	
95390	<b>PORRIDGE, MAIZE-SOY FLOUR</b>		<b>Standard</b>
801041	* MAIZE FLOUR,WHITE VARIETY,REFINED,RAW *BOILED*	0.060	
807030	* SOYBEAN FLOUR,RAW *BOILED*	0.060	
95400	<b>TEA, BLACK, BREWED, W/SUGAR</b>		<b>Standard</b>
26002	SUGAR,CANE,ALL GRADE,RAW	0.091	
95401	<b>TEA, COW MILK ADDED</b>		<b>Standard</b>
809001	* MILK,COW,WHOLE,FRESH,RAW *BOILED*	0.586	
95403	<b>TEA, W/COW MILK &amp; SUGAR</b>		<b>Standard</b>
809001	* MILK,COW,WHOLE,FRESH,RAW *BOILED*	0.686	
26002	SUGAR,CANE,ALL GRADE,RAW	0.050	
95701	<b>PORRIDGE, SOY FLOUR</b>		<b>Standard</b>
801041	* MAIZE FLOUR,WHITE VARIETY,REFINED,RAW *BOILED*	0.060	
807030	* SOYBEAN FLOUR,RAW *BOILED*	0.060	
95703	<b>PORRIDGE, SOY FLOUR, W/COW MILK</b>		<b>Standard</b>
801041	* MAIZE FLOUR,WHITE VARIETY,REFINED,RAW *BOILED*	0.060	
807030	* SOYBEAN FLOUR,RAW *BOILED*	0.060	
809001	* MILK,COW,WHOLE,FRESH,RAW *BOILED*	0.054	
96000	<b>GREEN LEAF SAUCE, COWPEA LEAVES,FRESH, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
818071	* COWPEA LEAVES,FRESH,RAW *BOILED*	0.334	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.240	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.010	
96002	<b>GREEN LEAF SAUCE,COWPEA LEAVES,FRESH, W/WO TOMATOES &amp;/OR ONIONS, G.NUTS (POWDER/PASTE)</b>		<b>Standard</b>
808010	* GROUNDNUTS,PASTE,RAW *BOILED*	0.236	
818071	* COWPEA LEAVES,FRESH,RAW *BOILED*	0.178	
96050	<b>GREEN LEAF SAUCE, AMARANTH LEAVES, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
818033	* AMARANTH LEAVES,FRESH,FRIED *BOILED*	0.394	
818032	* AMARANTH LEAVES,FRESH,BOILED *BOILED*	0.197	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.084	

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
818031	* AMARANTH LEAVES,FRESH,RAW *BOILED*	0.032	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.014	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.012	
<b>96130</b>	<b>GREEN LEAF SAUCE,BEAN LEAVES, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
818071	* COWPEA LEAVES,FRESH,RAW *BOILED*	0.334	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.240	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.010	
<b>96150</b>	<b>GREEN LEAF SAUCE, SPIDER PLANT LEAVES, FRESH,W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
818061	* SPIDER PLANT LEAVES,FRESH,RAW *BOILED*	0.300	
818091	* COCOYAM LEAVES,FRESH,RAW *BOILED*	0.150	
829052	* ONION,LARGE BULB,FRESH,RAW *BOILED*	0.002	
<b>96200</b>	<b>GREEN LEAF SAUCE,OKRA LEAVES,FRESH, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard</b>
818081	* OKRA LEAVES,FRESH,RAW *BOILED*	0.990	
<b>96350</b>	<b>GREEN LEAF SAUCE,NAKATI LEAVES,FRESH, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
818014	* SCARLET EGGPLANT (NAKATI) LEAVES,FRESH,FRIED *BOILED*	0.596	
818011	* SCARLET EGGPLANT (NAKATI) LEAVES,FRESH,RAW *BOILED*	0.173	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.171	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.060	
<b>96400</b>	<b>GREEN LEAF SAUCE, PUMPKIN LEAVES, FRESH, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
818052	* PUMPKIN LEAVES,FRESH,BOILED *BOILED*	0.468	
818058	* PUMPKIN LEAVES,FRESH,FRIED *BOILED*	0.258	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.058	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.004	
<b>97171</b>	<b>MUGOYO, SWEET POTATO (WHITE), FRESH ROOT</b>		<b>Standard Modified</b>
803006	* SWEETPOTATO,WHITE,W/SKIN,FRESH,BOILED *BOILED*	1.000	
<b>97172</b>	<b>MUGOYO, SWEET POTATO (YELLOW), FRESH ROOT</b>		<b>Standard Modified</b>
804006	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,BOILED *BOILED*	1.000	
<b>97173</b>	<b>MUGOYO, SWEET POTATO (ORANGE), FRESH ROOT</b>		<b>Standard Modified</b>
804106	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,BOILED *BOILED*	1.000	
<b>97180</b>	<b>MUGOYO, SWEET POTATO (WHITE &amp; YELLOW), FRESH ROOT</b>		<b>Standard</b>
803006	* SWEETPOTATO,WHITE,W/SKIN,FRESH,BOILED *BOILED*	0.500	
804006	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,BOILED *BOILED*	0.500	
<b>97182</b>	<b>MUGOYO, SWEET POTATO (YELLOW &amp; ORANGE), FRESH ROOT</b>		<b>Standard Modified</b>

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
804006	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,BOILED *BOILED*	0.500	
804106	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,BOILED *BOILED*	0.500	
<b>97184</b>	<b>MUGOYO, SWEET POTATO (WHITE,YELLOW &amp; ORANGE), FRESH ROOT</b>		<b>Standard Modified</b>
803006	* SWEETPOTATO,WHITE,W/SKIN,FRESH,BOILED *BOILED*	0.333	
804006	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,BOILED *BOILED*	0.333	
804106	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,BOILED *BOILED*	0.333	
<b>97186</b>	<b>MUGOYO, SWEET POTATO (WHITE &amp; ORANGE), FRESH ROOT</b>		<b>Standard Modified</b>
803006	* SWEETPOTATO,WHITE,W/SKIN,FRESH,BOILED *BOILED*	0.500	
804106	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,BOILED *BOILED*	0.500	
<b>97200</b>	<b>MUGOYO, SWEET POTATO (WHITE), FRESH ROOT, W/BEANS, DRIED</b>		<b>Standard</b>
803008	* SWEETPOTATO,WHITE,W/SKIN,FRESH,RAW *BOILED*	0.450	
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.230	
806110	* BEANS,CRANBERRY(KANYEBWA),DRIED,BOILED *BOILED*	0.180	
803006	* SWEETPOTATO,WHITE,W/SKIN,FRESH,BOILED *BOILED*	0.130	
<b>97202</b>	<b>MUGOYO, SWEET POTATO (YELLOW), FRESH ROOT, W/BEANS, DRIED</b>		<b>Standard</b>
804008	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,RAW *BOILED*	0.450	
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.230	
806110	* BEANS,CRANBERRY(KANYEBWA),DRIED,BOILED *BOILED*	0.180	
804006	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,BOILED *BOILED*	0.130	
<b>97204</b>	<b>MUGOYO, SWEET POTATO, (ORANGE), FRESH, W/BEANS, DRIED</b>		<b>Standard Modified</b>
804103	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,RAW *BOILED*	0.450	
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.230	
806110	* BEANS,CRANBERRY(KANYEBWA),DRIED,BOILED *BOILED*	0.180	
804106	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,BOILED *BOILED*	0.130	
<b>97206</b>	<b>MUGOYO, SWEET POTATO (WHITE &amp; YELLOW), FRESH ROOT, W/BEANS, DRIED</b>		<b>Standard</b>
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.230	
803008	* SWEETPOTATO,WHITE,W/SKIN,FRESH,RAW *BOILED*	0.225	
804008	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,RAW *BOILED*	0.225	
806110	* BEANS,CRANBERRY(KANYEBWA),DRIED,BOILED *BOILED*	0.180	
803006	* SWEETPOTATO,WHITE,W/SKIN,FRESH,BOILED *BOILED*	0.065	
804006	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,BOILED *BOILED*	0.065	
<b>97208</b>	<b>MUGOYO, SWEET POTATO, (YELLOW &amp; ORANGE), FRESH, W/BEANS, DRIED</b>		<b>Standard Modified</b>
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.230	
804008	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,RAW *BOILED*	0.225	
804103	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,RAW *BOILED*	0.225	
806110	* BEANS,CRANBERRY(KANYEBWA),DRIED,BOILED *BOILED*	0.180	

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
804006	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,BOILED *BOILED*	0.065	
804106	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,BOILED *BOILED*	0.065	
<b>97210</b>	<b>MUGOYO, SWEET POTATO, (WHITE,YELLOW &amp; ORANGE), FRESH, W/BEANS, DRIED</b>		<b>Standard Modified</b>
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.230	
806110	* BEANS,CRANBERRY(KANYEBWA),DRIED,BOILED *BOILED*	0.180	
803008	* SWEETPOTATO,WHITE,W/SKIN,FRESH,RAW *BOILED*	0.150	
804008	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,RAW *BOILED*	0.150	
804103	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,RAW *BOILED*	0.150	
803006	* SWEETPOTATO,WHITE,W/SKIN,FRESH,BOILED *BOILED*	0.043	
804006	* SWEETPOTATO,YELLOW,W/SKIN,FRESH,BOILED *BOILED*	0.043	
804106	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,BOILED *BOILED*	0.043	
<b>97212</b>	<b>MUGOYO, SWEET POTATO, (WHITE &amp; ORANGE), FRESH, W/BEANS, DRIED</b>		<b>Standard Modified</b>
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.230	
803008	* SWEETPOTATO,WHITE,W/SKIN,FRESH,RAW *BOILED*	0.225	
804103	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,RAW *BOILED*	0.225	
806110	* BEANS,CRANBERRY(KANYEBWA),DRIED,BOILED *BOILED*	0.180	
803006	* SWEETPOTATO,WHITE,W/SKIN,FRESH,BOILED *BOILED*	0.065	
804106	* SWEETPOTATO,ORANGE,W/SKIN,FRESH,BOILED *BOILED*	0.065	
<b>97398</b>	<b>KATOGO, MATOOKE, W/WO TOMATOES AND/OR ONIONS</b>		<b>Standard</b>
805001	* BANANA,MATOOKE,GREEN,FRESH,RAW *BOILED*	0.730	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.134	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.020	
<b>97399</b>	<b>KATOGO, MATOOKE, W/WO TOMATOES AND/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
805001	* BANANA,MATOOKE,GREEN,FRESH,RAW *BOILED*	0.709	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.130	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.029	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.020	
<b>97400</b>	<b>KATOGO, MATOOKE, BEANS, DRIED, W/WO TOMATOES AND/OR ONIONS</b>		<b>Standard</b>
805001	* BANANA,MATOOKE,GREEN,FRESH,RAW *BOILED*	0.473	
806009	* BEANS,PINTO(K20/NAMBALE),DRIED,RAW *BOILED*	0.120	
806109	* BEANS,CRANBERRY(KANYEBWA),DRIED,RAW *BOILED*	0.070	
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.060	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.030	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.010	
<b>97401</b>	<b>KATOGO, MATOOKE, BEANS, DRIED, W/WO TOMATOES AND/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
805001	* BANANA,MATOOKE,GREEN,FRESH,RAW *BOILED*	0.464	
806009	* BEANS,PINTO(K20/NAMBALE),DRIED,RAW *BOILED*	0.121	

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
806109	* BEANS,CRANBERRY(KANYEBWA),DRIED,RAW *BOILED*	0.065	
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.060	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.028	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.020	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.013	
<b>97402</b>	<b>KATOGO, MATOOKE, G.NUT, PASTE/POWDER, W/WO TOMATOES AND/OR ONIONS</b>		<b>Standard</b>
805001	* BANANA,MATOOKE,GREEN,FRESH,RAW *BOILED*	0.651	
808007	* GROUNDNUTS,POWDER,RAW *BOILED*	0.083	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.050	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.010	
<b>97403</b>	<b>KATOGO, MATOOKE, G.NUT, PASTE/POWDER, W/WO TOMATOES AND/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
805001	* BANANA,MATOOKE,GREEN,FRESH,RAW *BOILED*	0.651	
808007	* GROUNDNUTS,POWDER,RAW *BOILED*	0.083	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.050	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.010	
<b>97450</b>	<b>KATOGO, YAM, BEANS, DRIED, W/WO TOMATOES AND/OR ONIONS</b>		<b>Standard</b>
802241	* YAM,(NDAGGU,BALUGGU,OTHERS),FRESH,RAW *BOILED*	0.473	
806009	* BEANS,PINTO(K20/NAMBALE),DRIED,RAW *BOILED*	0.120	
806109	* BEANS,CRANBERRY(KANYEBWA),DRIED,RAW *BOILED*	0.070	
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.060	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.030	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.010	
<b>97451</b>	<b>KATOGO, YAM, BEANS, DRIED, W/WO TOMATOES AND/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
802241	* YAM,(NDAGGU,BALUGGU,OTHERS),FRESH,RAW *BOILED*	0.464	
806009	* BEANS,PINTO(K20/NAMBALE),DRIED,RAW *BOILED*	0.121	
806109	* BEANS,CRANBERRY(KANYEBWA),DRIED,RAW *BOILED*	0.065	
806010	* BEANS,PINTO(K20/NAMBALE),DRIED,BOILED *BOILED*	0.060	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.028	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.020	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.013	
<b>97498</b>	<b>KATOGO, CASSAVA, W/WO TOMATOES AND/OR ONIONS</b>		<b>Standard Modified</b>
802001	* CASSAVA,FRESH,RAW *BOILED*	0.295	
802002	* CASSAVA,FRESH,BOILED *BOILED*	0.209	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.088	
829051	* ONION,SMALL BULB,FRESH,RAW *BOILED*	0.007	
<b>97500</b>	<b>KATOGO, CASSAVA, BEANS, DRIED, W/WO TOMATOES AND/OR ONIONS</b>		<b>Standard</b>

Recipe/ Ingredient Code	Recipe / Ingredient Name	Ingredient Proportion	Recipe Type
802001	* CASSAVA,FRESH,RAW *BOILED*	0.444	
806009	* BEANS,PINTO(K20/NAMBALE),DRIED,RAW *BOILED*	0.110	
806109	* BEANS,CRANBERRY(KANYEBWA),DRIED,RAW *BOILED*	0.100	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.010	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.010	
<b>97501</b>	<b>KATOGO, CASSAVA, BEANS, DRIED, W/WO TOMATOES AND/OR ONIONS, VEGETABLE OIL</b>		<b>Standard</b>
802001	* CASSAVA,FRESH,RAW *BOILED*	0.436	
806009	* BEANS,PINTO(K20/NAMBALE),DRIED,RAW *BOILED*	0.110	
806109	* BEANS,CRANBERRY(KANYEBWA),DRIED,RAW *BOILED*	0.095	
725004	* VEGETABLE OIL,MUKWANO,FORTIFIED,RAW *COOKED*	0.016	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.014	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.010	
<b>97502</b>	<b>KATOGO, CASSAVA, G.NUT, PASTE/POWDER, W/WO TOMATOES AND/OR ONIONS</b>		<b>Standard</b>
802001	* CASSAVA,FRESH,RAW *BOILED*	0.660	
808007	* GROUNDNUTS,POWDER,RAW *BOILED*	0.060	
729052	* ONION,LARGE BULB,FRESH,RAW *FRIED*	0.000	
729063	* TOMATO,RIPE,FRESH,RAW *FRIED*	0.000	
<b>99004</b>	<b>CABBAGE, GREEN LEAVES, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
829001	* CABBAGE,GREEN,FRESH,RAW *BOILED*	0.570	
<b>99100</b>	<b>ENTULA SAUCE, W/WO TOMATOES &amp;/OR ONIONS</b>		<b>Standard Modified</b>
829091	* ENTULA (SOLANUM GILO),FRESH,RAW *BOILED*	0.325	
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.046	
<b>99201</b>	<b>MUSHROOM SAUCE, W/WO TOMATOES, W/WO ONION, VEGETABLE OIL</b>		<b>Standard</b>
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.182	
829205	* MUSHROOMS,DRIED, RAW, *BOILED	0.132	
829052	* ONION, LARGE BULB, FRESH, RAW *BOILED*	0.050	
725001	* VEGETABLE OIL,UNSPECIFIED BRAND,RAW *COOKED*	0.016	
<b>99202</b>	<b>MUSHROOM SAUCE, W/WO TOMATOES, W/WO ONION</b>		<b>Standard</b>
829063	* TOMATO,RIPE,FRESH,RAW *BOILED*	0.185	
829205	* MUSHROOMS,DRIED, RAW, *BOILED	0.134	
829052	* ONION, LARGE BULB, FRESH, RAW *BOILED*	0.051	



---

c/o International Food Policy Research Institute  
2033 K Street, NW, Washington, DC 20006-1002 USA  
Phone: 1-202-862-5600 • Fax: 1-202-467-4439 • [HarvestPlus@cgiar.org](mailto:HarvestPlus@cgiar.org)

ISBN 978-0-9818176-2-0