



ECONOMICS AND DEMOGRAPHY

POVERTY RATES AND GDP



Source: World Bank 2014.
Note: PPP = purchasing power parity.

UNDER-5 MORTALITY RATE



Source: UN Inter-agency Group for Child Mortality Estimation 2013.

INCOME INEQUALITY

Gini index: NA

Source: World Bank 2014.
Notes: 0 = perfect equality, 100 = perfect inequality. NA = not available.

POPULATION

| | | |
|--------------------------|-------|------|
| Population (000) | 5,446 | 2012 |
| Under-5 population (000) | 292 | 2012 |
| Urban (%) | 55 | 2010 |
| >65 years (%) | 13 | 2012 |

Source: UNPD 2013.

CHILD ANTHROPOMETRY

CHILD ANTHROPOMETRY

Number of children under 5 affected (000)


| | | |
|-------------------------|----|----|
| Stunting ^a | NA | NA |
| Wasting ^a | NA | NA |
| Overweight ^a | NA | NA |

Percentage of children under 5 affected

| | | |
|-------------------------------|----|------|
| Wasting ^a | NA | NA |
| Severe wasting ^a | NA | NA |
| Overweight ^a | NA | NA |
| Low birth weight ^b | 7 | 2001 |


Sources: ^aUNICEF/WHO/WB 2014; ^bUNICEF 2014.
Note: NA = not available.

PREVALENCE OF UNDER-5 STUNTING (%)



Source: UNICEF/WHO/WB 2014.

CHANGES IN STUNTING PREVALENCE OVER TIME, BY WEALTH QUINTILE



Source: DHS surveys 1990–2011 adapted from Bredenkamp et al. 2014.


ADOLESCENT AND ADULT NUTRITION STATUS

ADOLESCENT AND ADULT ANTHROPOMETRY (% POPULATION)

| | | |
|---|----|----|
| Adolescent overweight ^a | NA | NA |
| Adolescent obesity ^a | NA | NA |
| Women of reproductive age, thinness ^b | NA | NA |
| Women of reproductive age, short stature ^b | NA | NA |

Sources: ^aWHO 2014; ^bDHS 2014.
Note: NA = not available.

METABOLIC RISK FACTORS FOR DIET-RELATED NONCOMMUNICABLE DISEASES, 2008 (%)




Source: WHO 2014.

MICRONUTRIENT STATUS OF POPULATION

| Women of reproductive age with anemia ^a | | |
|---|--------------------------|------|
| Total population affected (000) | 331 | 2011 |
| Total population affected (%) | 23 | 2011 |
| Vitamin A deficiency in preschool-age children (%) ^b | 8 | NA |
| Population classification of iodine nutrition (age group 6–12) ^c | Optimal iodine nutrition | 2002 |

Sources: ^aStevens et al. 2013; ^bWHO 2009; ^cWHO 2004.
Note: NA = not available.

PREVALENCE OF ADULT OVERWEIGHT AND OBESITY, 2008 (%)



Source: WHO 2014.
Note: BMI = body mass index.


WORLD HEALTH ASSEMBLY INDICATORS: PROGRESS AGAINST GLOBAL WHA TARGETS

| Indicator | Progress |
|--------------------|----------------------|
| Under-5 stunting | NA |
| Under-5 wasting | NA |
| Under-5 overweight | NA |
| WRA anemia, 2011 | Currently off course |

Source: WHO 2014.
Notes: Currently it is only possible to determine whether a country is on or off course for four of the six WHA targets. The year refers to the most recent data available; on/off-course calculation is based on trend data. WRA = women of reproductive age. NA = not available.


INTERVENTION COVERAGE AND CHILD-FEEDING PRACTICES

CONTINUUM OF CARE (%)



Sources: ^aUNICEF 2014; ^bUNPD 2014.

RATE OF EXCLUSIVE BREASTFEEDING OF INFANTS UNDER 6 MONTHS (%)



Source: UNICEF 2014.

INTERVENTION COVERAGE (%)

| | | |
|---|----|------|
| Severe acute malnutrition, geographic coverage ^a | NA | NA |
| Vitamin A supplementation, full coverage ^b | NA | NA |
| Children under 5 with diarrhea receiving ORS ^b | NA | NA |
| Immunization coverage, DTP3 ^b | 99 | 2012 |
| Iodized salt consumption ^b | NA | NA |

Sources: ^aUNICEF/Coverage Monitoring Network/ACF International 2012; ^bUNICEF 2014. Notes: ORS=oral rehydration salts; DTP3=3 doses of combined diphtheria/tetanus/pertussis vaccine. NA=not available.


INFANT AND YOUNG-CHILD FEEDING PRACTICES (% 6–23 MONTHS)

| | | |
|---------------------------|----|----|
| Minimum acceptable diet | NA | NA |
| Minimum dietary diversity | NA | NA |

Source: DHS. Note: NA=not available.

UNDERLYING DETERMINANTS

FOOD SUPPLY



Source: FAOSTAT 2014.

GENDER-RELATED DETERMINANTS

| | | |
|--|-------|------|
| Early childbearing: births by age 18 (%) ^a | NA | NA |
| Gender Inequality Index (score ^a) ^b | 0.164 | 2013 |
| Gender Inequality Index (country rank) ^b | 32 | 2013 |


Sources: ^aUNICEF 2014; ^bUNDP 2014. Notes: ^a0=low inequality, 1=high inequality. NA=not available.

POPULATION DENSITY OF HEALTH WORKERS PER 1,000 PEOPLE

| | | |
|--------------------------|----|------|
| Physicians | 3 | 2007 |
| Nurses and midwives | NA | NA |
| Community health workers | NA | NA |


Source: WHO 2014. Note: NA=not available.

FEMALE SECONDARY EDUCATION ENROLLMENT (%)




Source: UNESCO Institute for Statistics 2014.

IMPROVED DRINKING WATER COVERAGE (%)




Source: WHO/UNICEF JMP 2014.

IMPROVED SANITATION COVERAGE (%)



Source: WHO/UNICEF JMP 2014.


GOVERNMENT EXPENDITURES (%)



Source: IFPRI 2014.

FINANCIAL RESOURCES AND POLICY, LEGISLATION, AND INSTITUTIONAL ARRANGEMENTS

SCALING UP NUTRITION (SUN) COUNTRY INSTITUTIONAL TRANSFORMATIONS, 2014 (%)



Source: SUN 2014.

POLICY AND LEGISLATIVE PROVISIONS

| | | |
|--|------------------|-----------|
| National implementation of the International Code of Marketing of Breast-milk Substitutes ^a | Being studied | 2014 |
| Extent of constitutional right to food ^b | Medium-high | 2003 |
| Maternity protection (Convention 183) ^c | Yes | 2011 |
| Wheat fortification legislation ^d | No fortification | NA |
| Undernutrition mentioned in national development plans and economic growth strategies ^e | Rank: 75/83 | 2007–2013 |

Sources: ^aUNICEF 2014; ^bFAO 2003; ^cILO 2013; ^dFFI 2014; ^eIDS 2014. Note: NA=not available.

AVAILABILITY AND STAGE OF IMPLEMENTATION OF GUIDELINES/PROTOCOLS/STANDARDS FOR THE MANAGEMENT OF NCDs

| | | |
|--------------|------------------------------|------|
| Diabetes | Available, fully implemented | 2010 |
| Hypertension | Available, fully implemented | 2010 |

Source: WHO 2014. Note: NCDs=noncommunicable diseases.